

Section 18 Emergency Exemption

SECTION 18 SPECIFIC EXEMPTION FOR THE USE OF MYCOSHIELD® FOR CONTROL OF FIRE BLIGHT ON APPLES IN THE STATE OF MICHIGAN

EFFECTIVE MARCH 26, 2004 - JUNE 30, 2004

MYCOSHIELD

EPA File Symbol 04-MI-08

Active Ingredient: Oxytetracycline

Calcium Complex (equivalent to 17% oxytetracycline) 31.5%

Other Ingredients: 68.5%

Total: 100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

FAILURE TO FOLLOW THE DIRECTIONS FOR USE AND PRECAUTIONS ON THIS LABEL MAY RESULT IN POOR DISEASE CONTROL, CROP INJURY, OR ILLEGAL RESIDUES.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Follow all applicable directions, restrictions, and Worker Protection Standard requirements on the EPA-registered Mycoshield (EPA Reg No. 100-900) label.

This label must be in the possession of the user at the time of application.

Myčoshield

General Information

rev: 3/30/04

Apply by ground application using an air-blast sprayer.

A maximum of 5 applications may be made.

Use rate: Apply 1.0 to 1.5 lb. of Mycoshield per acre. Nufarm recommends a minimum concentration of 1.0 lb. product/100 gallons of water per acre.

Apply beginning at 10% bloom and continue at 3-6 day intervals, or apply when blight favorable weather is expected during apple bloom. Only one application may be made after the end of bloom.

Restrictions: (1) **DO NOT** apply within 60 days of harvest. (2) **DO NOT** apply more than 1.5 lb. product per acre per application. (3) Worker re-entry into treated areas during the restricted entry interval (REI) of 12 hours is not allowed. (4) **DO NOT** use treated crop or by-products for feed or allow livestock to graze in the treated orchards.

Any adverse effects resulting from the use of Mycoshield under this emergency exemption must be immediately reported to the Michigan Department of Agriculture, PH (517) 335-6542.

